

NOUVELLE DESCRIPTION
GÉOLOGIQUE ET PALÉONTOLOGIQUE
DE LA
COLLINE DE LÉMENC SUR CHAMBÉRY
PAR
M. LOUIS PILLET

ATLAS

SAINT-SATURNIN

PLANCHE I

Figures	1, 2. Ammonites tenuilobatus (<i>Oppel</i>), oppelia.
—	3, 4. Am. saxonicus (<i>Neumayr</i>), phylloceras.
—	5, 6. Am. Loryi (<i>Munier-Chalmas</i>), phylloceras.
—	7, 8. Am. Lothari (<i>Oppel</i>), perisphinctes.
—	9, 10, 11, 12. Am. platynotus (<i>Reinecke</i>), perisphinctes.
—	13, 14. Am. polyplocus (<i>Reinecke Spec</i>), perisp.

FOSSILES DE LÉMENC.

Pl. I



SAINT-SATURNIN

PLANCHE II

Figures	1, 2. Am. inconditus (<i>Font.</i>), perisphinctes.
—	3, 4. Am. altenensis (<i>d'Orb.</i>), aspidoceras.
—	5. Am. striolaris (<i>Nov. sp.</i>), perisphinctes.
—	6, 7. Aptychus plicatus (<i>Nov. sp.</i>)
—	8, 9. Spinigera spinosa (<i>d'Orb.</i>)
—	10, 11, 12. Rhynchonnella lacunosa (<i>Auctorum pars</i>). Terebratula sparsicosta (<i>Quenst.</i>)
—	13, 14. Terebratula nucleata (<i>Schlotheim.</i>)

FOSSILES DE LÉMENC.

Pl. II



CARRIÈRES DE LÉMENC


PLANCHE III

Figures

- | | |
|---|--|
| — | 1. Belemnites astartinus (<i>Zieten</i>). |
| — | 2. Nautilus franconicus (<i>Oppel</i>). |
| — | 3. Am. saxonicus (<i>Neumayr</i>), phylloceras. |
| — | 4. Am. benacensis (<i>Catullo</i>), phylloceras. |
| — | 5. Am. præposterius (<i>Fontannes</i>), phylloceras. |
| — | 6, 7. Am. strombecki (<i>Oppel</i>), oppelia. |
| — | 8, 9. Am. holbeini (<i>Oppel</i>), oppelia. |
| — | 10, 11. Am. tricristatus (<i>Oppel</i>), oppelia. |
| — | 12, 12 ^{bis} Am. Compsus (<i>Oppel</i>), oppelia. |

FOSSILES DE LÈMENC.

Pl. III




CARRIÈRES DE LÉMENC

PLANCHE IV

Figures 1, 2. Am. platyconcha (*Gemmellaro*), oppelia.

FOSSILES DE LÈMENC.

Pl. IV




CARRIÈRES DE LÉMENC

PLANCHE V

- | | |
|---------|--|
| Figures | 1, 2. Am. stephanoïdes (<i>Oppel</i>), perisphinctes. |
| — | 3, 4. Am. trimerus (<i>Oppel</i>), perisphinctes. |
| — | 5, 6. Am. sub-coronatus (<i>Nov. sp.</i>), perisphinctes. |
| — | 7. Am. cyclodorsatus (<i>Moesch</i>), perisphinctes. |
| — | 8, 9. Am. lacertosus (<i>Fontannes</i>), perisphinctes. |
| — | 10. Am. contiguus (<i>Catullo</i>), perisphinctes. |
| — | 10 <i>bis</i> . Am. Basilicæ (<i>E. Favre</i>), perisphinctes. |

FOSSILES DE LÉMENC.

Pl. V




CARRIÈRES DE LÉMENC

PLANCHE VI

- Figures 1. Am. sautieri (*Fontannes*), perisphinctes.
— 2, 3. Am. ^zallobrogicus (*Nobis*), perisphinctes.
— 4. Am. Heimi (*E. Favre*), perisphinctes.
— 5, 6. Am. Eudoxus (*d'Orb.*), hoplites
-- 7. Am. Doublieri (*d'Orb.*), simoceras.
— 9, 10. Am. Unicomptus (*Fontannes*), jeune-âge.

FOSSILES DE LÈMENC.

Pl. VI



CARRIÈRES DE LÉMENC

PLANCHE VII

- Figures 1. Am. longispinus (*Sowerby*), aspidoceras.
— 2, 3. Am. acanthicus (*Oppel*), aspidoceras.
— 4, 5. Am. microplus (*Oppel*), aspidoceras.

FOSSILES DE LÈMENC.

Pl. VII



Lith. A. Perrin Chambéry

F. Blanc del.